



STAR AUTOMATION, INC



Palletizers

Efficient Flow Line

Compact Installation

Support 24/7 Worldwide



www.starautomation.com

STEC-520P Controller.



- ✓ 7-inch LCD
- ✓ Menu always available on left side
- ✓ Auto/Manual select switch.



QR Code for more information or to diagnose an alarm.

Raised Touch Panel

The protective cover of the touch panel has raised areas to help locate inputs.

Energy Saving

Servo Motor Sleep Mode
Synchronizes Robot's Motion & Molding Cycle
Energy Saving Motor

Specifications

- ✓ Capable of Controlling up to 8 Servo Axis
- ✓ USB or LAN Connection
- ✓ Multiple Languages
- ✓ Straight Line Distance Displayed
- ✓ EJ Timer Auto-Adjustment
- ✓ Extract Cycle Adjustment
- ✓ Pendant Absorption Pressure Displayed
- ✓ 80 Standard Points per Axis
- ✓ 49 Standard Inputs (Factory)
- ✓ 18 Spare Customizable Inputs (Factory)
- ✓ Up to 144 Expansion Inputs (Option)
- ✓ 100 Total Timers
- ✓ 30 Total Counters

	Payload (kg)	Length (mm)	Width (mm)	Height (mm)	Vertical (mm)	Cross (mm)	Traverse (mm)
PXT-1220A	20	2385	1950	2000	1200 (1400) (1700)	900 (1000)	1500
PXT-1220+	20	2685	1950	2000	1200 (1400) (1700)	1000	1800
PXT-1235A	35	2658	2077	2199	1200	940	1560
PXW-1420	20	4748	2390	3486	1400 (1200) (1800)	1000 (700)	3500 (4500) (5500)
PXW-1535	35	4748	2390	3567	1500 (1800)	1000 (1200)	3500 (4500) (5500)
PXW1550	50	4671	2668	3748	1500 (1800) (2000)	1250 (1550)	3500 (4500) (5500)
PXL-1535	35	4913	2323	2421	1500 (1800) (2300)	1000 (1350)	3500 (4500) (5500)

Star Automation, Inc.
N90W14401 Commerce Dr
Menomonee Falls, WI 53051



www.starautomation.com
262-253-3550